

58V MAX LITHIUM ION CORDLESS POLE SAW

Operator's manual Model: CSPX5-M




TABLE OF CONTENTS

TECHNICAL DATA1
SAFETY
SPECIFIC RULES FOR THE POLE SAW3
REDUCING KICKBACK4
SAWING TECHNIQUES4
COMPONENT LOCATION
KNOW YOUR POLE SAW5
ASSEMBLY
ASSEMBLY OF GUIDE BAR AND SAW CHAIN6
TENSIONING THE CHAIN6
SAW CHAIN LUBRICATION7
FILLING THE OIL TANK7
ATTACH /REMOVE THE BATTERY7
OPERATION
ADJUSTING THE TELESCOPING HANDLE8
TURNING THE POLE SAW ON AND OFF8
PREPARATION8
SAFETY WARNINGS8
MAINTENANCE
CLEANING9
REPLACING THE SAW CHAIN AND
GUIDE BAR
CHECKING THE AUTOMATIC CHAIN LUBRICATION9 STORAGE9
PARTS
EXPLODED VIEW
PARTS
WARRANTY
LIMITED TWO-YEAR WARRANTY12

TECHNICAL DATA

Model Number:	CSPX5-M
Motor:	58V brushless Motor
Guide Bar:	10 in.
Speed (no load):	4800 RPM
Max Reach:	10 ft.
Oil Tank Capacity:	3.4 oz.
Saw Chain Model:	91PJ040X
Guide Bar Model:	100SDEA041
Chain Pitch:	3/8 in.
Chain Gauge:	.05 in.
Drive Links:	40
Battery/Charger:	B25X5/CHX5
Battery:	58V Max Lithium Ion, 2.5 Ah
Weight (w/ Battery):	12 lbs
Product Dimensions:	111 x 5.1 x 6.3 in. (extended) 77 x 5.1 x 6.3 in. (shortened)

WWW.SENIXTOOLS.COM

SAFETY

Safety is a combination of common sense, staying alert and knowing how your item works. SAVE THESE SAFETY INSTRUCTIONS.



WARNING — To reduce the risk of injury, user must read and understand operator's manual.



WARNING — To avoid mistakes and serious injury, do not use this tool until the following steps have been read and understood.

- READ and become familiar with this entire instruction manual. LEARN the tool's applications, limitations, and possible hazards.
- AVOID DANGEROUS CONDITIONS. Do not use in wet or damp areas or expose them to rain. Keep work areas well lit.
- **3.** DO NOT use in the presence of flammable liquids or gases.
- 4. DO NOT direct the tool at any bystanders.
- **5.** KEEP BYSTANDERS AT A SAFE DISTANCE from the work area, especially when the tool is operating. NEVER allow children or pets near the tool.
- **6.** DO NOT FORCE THE TOOL to do a job for which it was not designed.
- 7. DRESS FOR SAFETY. Do not wear loose clothing, gloves, neckties, or jewelry (rings, watches, etc.) when operating the tool. Inappropriate clothing and items can get caught in moving parts and draw you in. ALWAYS wear non-slip footwear and tie back long hair.
- **8.** WEAR A FACE MASK OR DUST MASK if working in dusty or dirty conditions.
- **9.** ALWAYS remove the battery from the tool when making adjustments, changing parts, cleaning, or working on the tool.
- AVOID ACCIDENTAL START-UPS. Make sure the power switch is in the OFF position before inserting the battery.
- **11.** REMOVE ADJUSTMENT TOOLS. Always make sure all adjustment tools are removed from the tool before turning it on.
- **12.** NEVER LEAVE A RUNNING TOOL UNATTENDED. Turn the power switch OFF. Do not leave the tool until it has come to a complete stop.

- **13.** NEVER STAND ON A TOOL. Serious injury could result if the tool tips or is accidentally hit. DO NOT store anything above or near the tool.
- **14.** DO NOT OVERREACH and DO NOT cut above shoulder height. This helps prevent unintended tip contact and enables better control of the pole saw in unexpected situations.
- **15.** WEAR NECESSARY hand and hearing protection. Wear no-slip heavy duty work gloves and hearing protection in order to prevent injury.
- 16. MAINTAIN TOOLS PROPERLY. ALWAYS keep tools clean and in good working order. Follow instructions for lubricating and changing accessories.
- 17. CHECK FOR DAMAGED PARTS. Check for alignment of moving parts, jamming, breakage, improper mounting, or any other conditions that may affect the tool's operation. Any part that is damaged should be properly repaired or replaced before use.
- 18. DO NOT operate the tool if you are under the influence of drugs, alcohol, or medication that may affect your ability to properly use the tool.
- 19. USE SAFETY GOGGLES AT ALL TIMES that comply with ANSI Z87.1. Normal safety glasses only have impact resistant lenses and are not designed for safety. Wear a face or dust mask when working in a dusty environment.
- Use ear protection such as plugs or muffs during extended periods of operation.

2 WWW.SENIXTOOLS.COM